Material Safety Data Sheet

Version 5.0 Revision Date 05/10/2012 Print Date 06/18/2012

1. PRODUCT AND COMPANY IDENTIFICATION

Product name Nitric acid, 70%

Product Number 438073 Brand Sigma-Aldrich

Supplier Sigma-Aldrich

> 3050 Spruce Street SAINT LOUIS MO 63103

USA

+1 800-325-5832 Telephone Fax +1 800-325-5052 Emergency Phone # (For (314) 776-6555

both supplier and

manufacturer)

Preparation Information Sigma-Aldrich Corporation

Product Safety - Americas Region

1-800-521-8956

2. HAZARDS IDENTIFICATION

Emergency Overview

OSHA Hazards

Target Organ Effect, Corrosive, Oxidizer

Target Organ Effect, Corrosive

Target Organs

Lungs, Teeth., Cardiovascular system.

GHS Classification

Oxidizing liquids (Category 3) Skin corrosion (Category 1A) Serious eye damage (Category 1)

GHS Label elements, including precautionary statements

Pictogram



Signal word Danger

Hazard statement(s)

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

Precautionary statement(s)

P220 Keep/Store away from clothing/ combustible materials.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/ physician.

HMIS Classification

Health hazard: 3 Chronic Health Hazard:

Flammability: 0 Physical hazards: 3

NFPA Rating

Health hazard: 3
Fire: 0
Reactivity Hazard: 2
Special hazard.: OX

Health hazard: 3
Fire: 0
Reactivity Hazard: 0

Potential Health Effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns. Causes severe eye burns.

Ingestion May be harmful if swallowed.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Formula : HNO₃
Molecular Weight : 63.01 g/mol

Component		Classification	Concentration
Nitric acid			
CAS-No. EC-No. Index-No.	7697-37-2 231-714-2 007-004-00-1	Ox. Liq. 3; Skin Corr. 1A; H272, H314	60 - 100 %

For the full text of the H-Statements and R-Phrases mentioned in this Section, see Section 16

4. FIRST AID MEASURES

General advice

Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Consult a physician.

In case of eye contact

Continue rinsing eyes during transport to hospital. Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

5. FIREFIGHTING MEASURES

Conditions of flammability

Not flammable or combustible.

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special protective equipment for firefighters

Wear self contained breathing apparatus for fire fighting if necessary.

Sigma-Aldrich - 438073 Page 2 of 8

Hazardous combustion products

Hazardous decomposition products formed under fire conditions. - nitrogen oxides (NOx)

Further information

Use water spray to cool unopened containers.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Evacuate personnel to safe areas.

Environmental precautions

Do not let product enter drains.

Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13).

7. HANDLING AND STORAGE

Precautions for safe handling

Avoid inhalation of vapour or mist.

Keep away from sources of ignition - No smoking. Keep away from heat and sources of ignition.

Conditions for safe storage

Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value	Control parameters	Basis	
Nitric acid	7697-37-2	TWA	2 ppm	USA. ACGIH Threshold Limit Values (TLV)	
Remarks	Eye & Upper Respiratory Tract irritation Dental erosion				
		STEL	4 ppm	USA. ACGIH Threshold Limit Values (TLV)	
	Eye & Upper Respiratory Tract irritation Dental erosion				
		TWA	2 ppm 5 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		STEL	4 ppm 10 mg/m3	USA. OSHA - TABLE Z-1 Limits for Air Contaminants - 1910.1000	
		TWA	2 ppm 5 mg/m3	USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants	
	The value in mg/m3 is approximate.				
		TWA	2 ppm 5 mg/m3	USA. NIOSH Recommended Exposure Limits	
		ST	4 ppm 10 mg/m3	USA. NIOSH Recommended Exposure Limits	

Personal protective equipment

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

Sigma-Aldrich - 438073 Page 3 of 8

Hand protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Eye protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin and body protection

Complete suit protecting against chemicals, The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Hygiene measures

Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Form liquid

Colour Safety data

pH < 1.0

Melting no data available

point/freezing point

Boiling point 120.5 °C (248.9 °F) - lit.

colourless

Flash point no data available
Ignition temperature no data available
Autoignition no data available

temperature

Lower explosion limit no data available

Upper explosion limit no data available

Vapour pressure 49 hPa (37 mmHg) at 50 °C (122 °F)

Density 1.413 g/cm3 at 20 °C (68 °F)

Water solubility no data available Partition coefficient: no data available

n-octanol/water

Relative vapour

density

no data available

Odour no data available
Odour Threshold no data available
Evaporation rate no data available

10. STABILITY AND REACTIVITY

Chemical stability

Stable under recommended storage conditions.

Possibility of hazardous reactions

no data available

Conditions to avoid

no data available

Sigma-Aldrich - 438073 Page 4 of 8

Materials to avoid

Alkali metals, Organic materials, Acetic anhydride, Acetonitrile, Alcohols, Acrylonitrile, Ammonia, Crotonaldehyde, Halogenated hydrocarbon, Acids, Bases, Metals, hexalithium disilicide, Hydrogen peroxide, Ketones, metal acetylides, Water, Fluorine, Amines, Thiols, cadmium, Bromine, Copper, Hydrazine, Hydrazinium nitrate, Nitro compounds, Cyanides, Phosphorus trihydride (phosphine), Diphosphine, Halides, Organic halides, May set fire to wood or paper., Polyethers, Methyl vinyl ether

Hazardous decomposition products

Hazardous decomposition products formed under fire conditions. - nitrogen oxides (NOx) Other decomposition products - no data available

11. TOXICOLOGICAL INFORMATION

Acute toxicity

Oral LD50

no data available

Inhalation LC50 Dermal LD50

no data available

Other information on acute toxicity

no data available

Skin corrosion/irritation

no data available

Serious eye damage/eye irritation

Eyes: no data available

Respiratory or skin sensitization

no data available

Germ cell mutagenicity

no data available

Carcinogenicity

IARC: No component of this product present at levels greater than or equal to 0.1% is identified as

probable, possible or confirmed human carcinogen by IARC.

ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by ACGIH.

NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a

known or anticipated carcinogen by NTP.

OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a

carcinogen or potential carcinogen by OSHA.

Reproductive toxicity

no data available

Teratogenicity

no data available

Specific target organ toxicity - single exposure (Globally Harmonized System)

no data available

Specific target organ toxicity - repeated exposure (Globally Harmonized System)

no data available

Sigma-Aldrich - 438073 Page 5 of 8

Aspiration hazard

no data available

Potential health effects

Inhalation May be harmful if inhaled. Material is extremely destructive to the tissue of the mucous

membranes and upper respiratory tract.

Ingestion May be harmful if swallowed.

Skin May be harmful if absorbed through skin. Causes skin burns.

Eyes Causes eye burns. Causes severe eye burns.

Signs and Symptoms of Exposure

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Inhalation may provoke the following symptoms:, spasm, inflammation and edema of the bronchi, spasm, inflammation and edema of the larynx, pneumonitis, pulmonary edema, Symptoms and signs of poisoning are:, burning sensation, Cough, wheezing, laryngitis, Shortness of breath, Headache, Nausea, Vomiting, Pulmonary edema. Effects may be delayed., Large doses may cause: conversion of hemoglobin to methemoglobin, producing cyanosis; marked fall in blood pressure, leading to collapse, coma, and possibly death.

Synergistic effects

no data available

Additional Information

RTECS: Not available

12. ECOLOGICAL INFORMATION

Toxicity

no data available

Persistence and degradability

no data available

Bioaccumulative potential

no data available

Mobility in soil

no data available

PBT and vPvB assessment

no data available

Other adverse effects

no data available

13. DISPOSAL CONSIDERATIONS

Product

Contact a licensed professional waste disposal service to dispose of this material. Dissolve or mix the material with a combustible solvent and burn in a chemical incinerator equipped with an afterburner and scrubber. Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

14. TRANSPORT INFORMATION

DOT (US)

UN number: 2031 Class: 8 (5.1) Packing group: II

Proper shipping name: Nitric acid Reportable Quantity (RQ): 1429 lbs

Marine pollutant: No

Poison Inhalation Hazard: No

IMDG

UN number: 2031 Class: 8 (5.1) Packing group: II EMS-No: F-A, S-Q

Sigma-Aldrich - 438073 Page 6 of 8

Proper shipping name: NITRIC ACID

Marine pollutant: No

IATA

UN number: 2031 Class: 8 (5.1) Packing group: II

Proper shipping name: Nitric acid

IATA Passenger: Not permitted for transport

15. REGULATORY INFORMATION

OSHA Hazards

Target Organ Effect, Corrosive, OxidizerTarget Organ Effect, Corrosive

SARA 302 Components

The following components are subject to reporting levels established by SARA Title III, Section 302:

CAS-No. Revision Date 7697-37-2 2007-07-01

SARA 313 Components

Nitric acid

The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Nitric acid 7697-37-2 2007-07-01

SARA 311/312 Hazards

Acute Health Hazard, Chronic Health Hazard

Massachusetts Right To Know Components

 CAS-No.
 Revision Date

 Nitric acid
 7697-37-2
 2007-07-01

Pennsylvania Right To Know Components

CAS-No. Revision Date

Water 7732-18-5

Nitric acid 7697-37-2 2007-07-01

New Jersey Right To Know Components

CAS-No. Revision Date

Water 7732-18-5

Nitric acid 7697-37-2 2007-07-01

California Prop. 65 Components

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

16. OTHER INFORMATION

Text of H-code(s) and R-phrase(s) mentioned in Section 3

H272 May intensify fire; oxidiser.

H314 Causes severe skin burns and eye damage.

Ox. Liq. Oxidizing liquids Skin Corr. Skin corrosion

Further information

Copyright 2012 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only. The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Sigma-Aldrich - 438073 Page 7 of 8

Sigma-Aldrich - 438073 Page 8 of 8